



PW-1B: Schedule B
Plumbing, Sprinkler, Standpipe

Must be typewritten.



PAA#01

Page 1 of 1

1 Location Information Required for all applications.

House No(s) 1436 Street Name LEXINGTON AVENUE
Borough MANHATTAN Block 1522 Lot 156 BIN 1048410 CB No. 108
Work on Floor(s) 02

2 Work Type Information Required for all applications. Select all that apply. Filing components/fixtures? ☐ Yes ☐ No

☐ Plumbing - PL Cost: \$ Total sprinkler heads in 8B: _____ To remove violation(s): 1) _____ 2) _____	☐ Sprinkler - SP Cost: \$ Total sprinkler heads in 8A: _____ To remove violation(s): 1) _____ 2) _____	☐ Standpipe - SD Cost: \$ To remove violation(s): 1) _____ 2) _____
--	---	---

3 Drainage Information

Storm Drainage Discharges into: select one. Sanitary Drainage Discharges into: select one.
☐ Storm Sewer ☐ Combined Sewer ☐ Private Disposal ☐ Sanitary Sewer ☐ Combined Sewer ☐ Private Disposal

4 Sewer Work Select all that apply.

☐ SD-1, SD-2, SD-3 ☐ Site Connection ☐ Septic Tank

5 Cap / Remove / Replace / Relocate Components If this section is completed, components are required.

☐ Cap or Remove Describe all:	☒ Replace or Relocate Describe all: 2 FL: REPLACE 2 range, 2 SINKS, 2 WC, 2 LAVS, 1 TUB, REPLACE 1 TUB WITH STALL SHOWERS. 3 FL: REPLACE 3 range, 3 SINKS, 3 WC, 3 LAVS, 4 TUB, REPLACE 2 TUB WITH STALL SHOWERS. 4 FL: REPLACE 4 Range, 4 SINKS, 4 WC, 4 LAV, 1 TUB; REPLACE 3 TUBS WITH STALL SHOWERS. REPLACE WATER PIPING WITH COPPER TYPE L OVER HEAD IN ALL APARTMENTS. NEW WASTE AND VENT STACKS AND BRANCHES WITH NO-HUB CAST IRON PIPE
--	---

6 Gas and Gas Equipment Data

Gas piping involved? ☒ Yes ☐ No Describe gas fired equipment:
REPLACE: 10 EXISTING GAS RANGE

Meters total: Total 12 Location(s), floor/apt. - list all that apply:
Cellar (NEW)
Risers total: 12 Cellar to 4th floor (NEW)
Gas Usage: ☐ Heat ☐ Dryer ☐ Water Heater ☐ Tankless Coil
☐ HVAC ☐ Cooking ☐ Fire Place ☐ Boiler Pilot for Oil Burner
☐ Other:

7 Applicant's Statements and Signatures Required for all applications.

Falsification of any statement is a misdemeanor under § 26-124 of the NYC Administrative Building Code and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both.

Name (please print)
Anthony Crusor
Signature _____ Date 5.1.14

P.E. / R.A. Seal (apply seal, then sign and date over seal)