

NYCECC NOTES

ENERGY CODE NOTE:

TO THE BEST OF MY KNOWLEDGE, BELIEF AND PROFESSIONAL JUDGMENT, THESE PLANS AND SPECIFICATIONS ARE IN COMPLIANCE WITH THE 2016 NYCECC 101.4 APPLICABILITY.

THE PROVISION OF THIS CODE SHALL APPLY TO THE CONSTRUCTION OF BUILDINGS. WHERE, IN ANY SPECIFIC CASE, DIFFERENT SECTIONS OF THIS CODE SPECIFY DIFFERENT MATERIALS, METHODS OF CONSTRUCTIONS OR OTHER REQUIREMENTS, THE MOST RESTRICTIVE SHALL GOVERN. WHERE THERE IS A CONFLICT BETWEEN A GENERAL REQUIREMENT AND A SPECIFIC REQUIREMENT, THE SPECIFIC REQUIREMENT SHALL GOVERN.

ENERGY CODE TABULAR ANALYSIS

WORK ITEM (includes new and/or replacement)	PROPOSED DESIGN VALUES	CODE PRESCRIBED VALUES	CODE CITATION
INTERIOR SIDE OF EXTERIOR WALLS W/NO EXISTING FRAMING CAVITIES	NO CHANGE	N/A	NYCECC R503.1.1 EXCEPTION 3.
CEILING & FLOOR	NO CHANGE	N/A	NYCECC R503.1.1 EXCEPTION 3.
INTERIOR PARTITIONS B/W CONDITIONED CORRIDOR & CONDITIONED APARTMENT	NO CHANGE	N/A	NYCECC R503.1.1 EXCEPTION 3.
INTERIOR LIGHTING	DWELLING UNITS WITHIN COMMERCIAL BUILDINGS SHALL NOT BE REQUIRED TO COMPLY WITH SECTIONS C405.2 - C405.5 PROVIDED THAT A MINIMUM OF 75% OF THE LAMPS IN PERMANENTLY INSTALLED LIGHTING FIXTURES, OTHER THAN LOW VOLTAGE LIGHTING, SHALL BE HIGH-EFFICACY LAMPS.		COMPLIES W/ NYCECC 2016 SECTION C405.1 EXCEPTION, R404.1