



AI1: Additional Information Must be typewritten.

☒ Orient and affix BIS job number label here ☒

Page number 1 of 3 BIS Document No. 01

1 Location and Job Information Required for all applications.

House No(s) 518 Street Name 47th Street

Borough Brooklyn Block 766 Lot 12 BIN 3012277 CB No. 7

2 Revisions to Plans/Drawings Required whenever updating plans. All revisions for each page must be clearly described in section 3.

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes PW1 required ☒ No Indicate all actions for this submission:

Action	Original/New/Omit Page ID	Superseding Page ID	Action	Original/New/Omit Page ID	Superseding Page ID	Action	Original/New/Omit Page ID	Superseding Page ID	Action	Original/New/Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page. Is this section continued on additional AI1 forms? ☒ Yes ☐ No

3 Additional Information Required for all applications.

Continued from TPP1 form:

2. FIRE SAFETY

All necessary laws and controls, including those with respect to occupied dwellings, as well as additional safety measures necessitated by the construction shall be strictly observed. At no point shall any open flames be permitted in the building nor on the roof. All electrical work shall be performed in accordance with NEC and NFPA guidelines. The electrical work shall pass inspection of an approved UL inspection agency licensed and properly qualified to perform the inspection in the city of New York. All FDNY rules and regulations regarding the appropriate fire path and roof obstructions must be implemented by the contractor.

3. HEALTH REQUIREMENTS

The bulk of the construction is on the exterior, the construction of a roof mounted solar energy photovoltaic electric system and its associated mounting system. No disturbance of existing building materials is to occur beyond what is required for construction of the system and its components. Some interior work MAY be required, wiring for the system and into the exiting building electrical system. All electrical work shall pass inspection of an approved UL inspection agency licensed and properly qualified to perform the inspection in NYC. All construction debris shall be cleaned daily from the work site, and will not be left exposed on the roof. All work shall be performed in compliance with applicable provisions of law relating to lead and asbestos. In case these materials were observed, the contractor must immediately contact owner or the applicant of record.

3.1. LEAD AND ASBESTOS

If required by DEP asbestos rules, a certified asbestos investigator has filed the required ACP5 and has detailed the required abatement measures on that form. Penetrations will be minimal, and only large enough to fit screws, so as to not disturb more than 10 square feet/25 linear feet of roofing and siding materials. If it has been determined that areas that will be disturbed have the potential to contain lead-based paint or other materials, an EPA lead safe certified firm must be engaged to inspect and identify abatement procedures as needed.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print) Vyacheslav Nechayev
Signature [Signature] Date 12/5/22
P.E. / R.A. Seal (apply seal, iron sign, and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒

Page number 2 of 3

BIS Document No. 01

1 Location and Job Information *Required for all applications.*

House No(s) 518

Street Name 47th Street

Borough Brooklyn

Block 766

Lot 12

BIN 3012277

CB No. 7

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☒ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☐ Yes ☒ No

3 Additional Information *Required for all applications.*

4. COMPLIANCE WITH HOUSING STANDARDS

Electric, gas, or other utilities are not to be interrupted. Building security shall be maintained to prevent unauthorized persons from entering the building. The requirements of the New York State Housing Maintenance code, and, where applicable, the New York State Multiple Dwelling law shall be strictly observed.

5. STRUCTURAL SAFETY

No structural work shall be done that may endanger the occupants. The extent of work for this project is the installation of an exterior roof mounted solar energy photo-voltaic electric system. No other structural work or modification is to be performed unless otherwise noted on the plans and the scope of work. Any issues which arise during construction should be brought to the attention of the contractor. All construction materials, when brought to the roof, shall be immediately spread evenly over the roof surface so as to avoid any localized loading of the roof structure. The roof shall not be overloaded beyond what permitted.

6. NOISE RESTRICTIONS

Hours of construction shall be limited to 7 AM – 6 PM ON weekdays. Construction noise shall be ceased after these hours. Noise levels must be limited to acceptable levels. The construction tools shall be utilized only on the roof of the building, and outside of any of the interior residences of the building.

7. MAINTAINING ESSENTIAL SERVICES

At no time during the course of the proposed construction shall there be any disruption of the heat, hot water, cold water, gas, or other utility services in accordance with the requirements of the New York City Housing Maintenance Code. However, electric service may have to be shut down for approximately 2 hours in order to connect the proposed photo-voltaic system to the existing electric panel and grid. This period is specifically designed to be shortened by wiring the panels and other components of the photo-voltaic system before cutting off the electric service to install the final connection.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

Vyacheslav


Signature

Nechayev

Date

12/6/22

P.E. / R.A. Seal (apply seal, then sign and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS job number label here ☒

Page number 3 of 3

BIS Document No. 01

1 Location and Job Information Required for all applications.

House No(s) 518

Street Name 47th Street

Borough Brooklyn

Block 766

Lot 12

BIN 3012277

CB No. 7

2 Revisions to Plans/Drawings Required whenever updating plans. All revisions for each page must be clearly described in section 3.

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes PW1 required ☒ No Indicate all actions for this submission:

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☐ Yes ☒ No

3 Additional Information Required for all applications.

6. OTHER REQUIREMENTS

Tenant protection plans must be publicly available. A copy of the tenant protection plans must be provided to the building occupants upon request. Prior to the initiation of the work, a notice must be sent to the building occupants the includes the following items:

- 1) Statement that occupants of the building may obtain a paper copy of such plan from the owner and may access such plan on the department website.
- 2) The name and contact information for the site safety manager, site safety coordinator or superintendent of construction or the name and contact information of the owner of the building or such owner's designee.
- 3) Statement that occupants of the building may call 311 to make complaints about the work.

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)


Vyacheslav

Nechayev

Signature

Date

P.E. / R.A. Seal (apply seal, then sign and date over seal)





AI1: Additional Information

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒

Page number 01 of 01

BIS Document No. 01

1 Location and Job Information *Required for all applications.*

House No(s) 518 Street Name 47th Street

Borough Brooklyn

Block 766

Lot 12

BIN 3012277

CB No. 7

2 Revisions to Plans/Drawings *Required whenever updating plans. All revisions for each page must be clearly described in section 3.*

Submission is part of a Post Approval Amendment (PAA)? ☐ Yes *PW1 required* ☐ No *Indicate all actions for this submission:*

Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID	Action	Original/New/ Omit Page ID	Superseding Page ID

For "Action" use "N" for new page, "S" for superseding page, "O" for omitting page.

Is this section continued on additional AI1 forms? ☐ Yes ☐ No

3 Additional Information *Required for all applications.*

Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both. I understand that if I am found after hearing to have knowingly or negligently made a false statement or to have knowingly or negligently falsified or allowed to be falsified any certificate, form, signed statement, application, report or certification of the correction of a violation required under the provisions of this code or of a rule of any agency, I may be barred from filing further applications or documents with the Department.

Name (please print)

Vyacheslav

Nechayev

Signature

Date

12/5/22

P.E. / R.A. Seal (apply seal, then sign and date over seal)

