



TR4: Technical Report Soil Investigation

Must be typewritten.

☒ Orient and affix BIS
job number label here ☒

1 Location Information *Required for all applications.*

House No(s) 115-24 Street Name 117 STREET

Borough QUEENS

Block 11709

Lot 47

BIN 4623319

CB No. 410

Work on Floor(s) OSP, UDG

Apt/Condo No(s)

2 Applicant Information *Required for all applications.*

Last Name Ghaida

First Name Samer

Middle Initial A

Business Name Professional Solutions Group Inc.

Business Telephone 718-505-8000

Business Address 3026 69th Street

Business Fax

City Woodside

State NY

Zip 11377

Mobile Telephone

E-Mail office@psgnyc.com

License Number 071407


☒ P.E. ☐ R.A.

3 Required Borings / Test Pits *Required for all applications.*


Number of Test Pits as Required as per NYC Construction Codes:

4 Plot Diagram *Required for all applications.*

Draw in ink to indicate scale. Show building outline or extension and location of all borings and/or test pits by dimensions. Borings and/or test pits shall be distributed according to the NYC Construction Codes.



5 Test Report <i>Required for all applications.</i>					
Date	Boring/ Test Pit #	Feet Below Curb	Soil Description	Class Number	Remarks
01/13/20	B-3	+1.0 - 4.0	Sand - clayey silt - topsoil - gravel	7	Elevation: 1' above curb level +/-
		4.0 - 11.0	c/m Sand - little silt - little/trace gravel	3b	
		11.0 - 31.0	c/m Sand -little silt -some/trace gravel	3b	End of boring B-3
01/17/20	B-4	+1.0 - 3.0	Sand - clayey silt - topsoil - gravel	7	Elevation: 1' above curb level +/-
		3.0 - 9.0	c/m Sand - little silt - little/no gravel	3b	
		9.0 - 27.0	c/m Sand -little silt -trace/some gravel	3b	
		27.0 - 31.0	c/m Sand - trace silt	3b	End of boring B-4
01/13/20	B-5	+1.0 - 3.0	Sand - clayey silt - topsoil - gravel	7	Elevation: 1' above curb level +/-
		3.0 - 5.0	m/f Sand - little silt - trace gravel	3b	
		5.0 - 13.0	c/m Sand - little silt - little/trace gravel	3b	
		13.0 - 23.0	c/m Sand -trace silt -little/trace gravel	3b	
		23.0 - 31.0	c/m Sand - trace silt	3b	End of boring B-2
=====	=====	=====	=====	=====	END OF REPORT

6 Statements and Signatures <i>Required for all applications.</i>	
I hereby state that the above information is correct and complete to the best of my knowledge and that the above tests were performed in accordance with all Administrative Code Provisions and Departmental Rules, Regulations and Directives. Falsification of any statement is a misdemeanor and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment or fine or both.	Name (please print) Samer A. Ghaida Signature  Date 07-09-2020  P.E. / R.A. Seal (apply seal, then sign and date over seal)

Approvals - Internal Use Only			
Examined and Recommended for Approval		Approved	
Examiner Name		Borough Commissioner Signature	Date
Signature	Date		