



DISPATCH LOCATIONS

PLANT LOCATIONS: NEW JERSEY: BERNARDSVILLE, BOGOTA, E. NEWARK, HOWELL, JERSEY CITY, MT. HOPE, RED BANK, RIVERDALE, ROSELAND, SECAUCUS

NEW YORK: MT. VERNON, WEST NYACK, BROOKLYN, STATEN ISLAND

475 Market
Elmwood
(201)
1-800-822-1244


WARNING: IRRITATION TO THE SKIN AND EYES: Contains Portland Cement. Wear rubber boots and gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with eyes and prolonged contact with skin. In case of contact with skin or eyes, flush thoroughly with water. If irritation persists, get medical attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

WE DO NOT GUARANTEE FINISHED RESULTS OBTAINED FROM THIS LOAD OF CONCRETE AS MANY IMPORTANT FACTORS AFFECTING THE ULTIMATE QUALITY OF THE COMPLETED JOB ARE OUT OF OUR CONTROL. We do not warrant that the concrete can be used in any particular environment or soil conditions or that the concrete is fit for any particular use. Selection of the mix design and/or specification of the mix design parameters are solely the responsibility of the Customer, and we assume no liability therefore.

PLEASE NOTE: THIS LOAD OF CONCRETE IS PRODUCED IN ACCORDANCE WITH STANDARD SPECIFICATIONS FOR READY MIX CONCRETE ASTM. ANY DE-ICING MATERIALS, IMPROPER FINISHING AND LACK OF CURING WILL CAUSE DAMAGE OR A DECREASE IN STRENGTH.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE AND AGREE TO THE TERMS AND CONDITIONS ON REVERSE SIDE. TIME IN EXCESS OF FREE TIME WILL BE CHARGED AT CURRENT DELAY RATE. ALL C.O.D. DELIVERIES MUST BE PAID IN ADVANCE AND LOAD ACCEPTED BY SIGNING THIS DELIVERY TICKET BEFORE POURING.

LOAD RECEIVED BY:
X 

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)


Dear Customer - The size and weight of this truck could cause damage to the premises and/or adjacent property if this load is placed where you desire. It is our wish to help you in every way that we can, but in order to do this we are requesting that you sign this RELEASE relieving this supplier and its affiliates from any responsibility from damage that may occur to the premises and/or adjacent property: buildings, sidewalks, drive-ways, curbs, etc., due to the delivery of this material, and that you also agree to help the driver remove mud from the wheels of his vehicle so that it will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier and its affiliates for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED: X 

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

WATER ADDED AT CUSTOMER REQUEST
EXCESSIVE WATER IS DETRIMENTAL TO CONCRETE PERFORMANCE.

X  REQUESTOR'S NAME

FULL LOAD 20 (GALLONS)	1/4 LOAD (GALLONS)	1/2 LOAD (GALLONS)	3/4 LOAD (GALLONS)
------------------------------	-----------------------	-----------------------	-----------------------

TEST RESULTS

SLUMP	CONC. TEMP.	AIR%
-------	-------------	------

CYLINDERS TAKEN: ☐ YES ☐ NO

NAME OF TESTING LAB:

CUSTOMER RICCA, JOSEPH	CUSTOMER CODE 1703518	DELIVERY ADDRESS 132 SCRIBNER AVE, STATEN ISLAND, NY
PROJECT NAME JOSEPH RICCA - VARIOUS STATE	PROJECT CODE 1518707	

CUSTOMER P.O. #	SPECIAL INSTRUCTIONS MIX ID: *****
CUSTOMER JOB ID #	

LOAD QUANTITY	ORDERED QTY	CUMULATIVE QTY	PRODUCT ID	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
7.000 1.000	17.000	17.000	45015527 EFUEL1	3000 PSI Fuel Surcharge		

BATCH TIME 10:28:04	LEAVE PLANT 1040	ARRIVE JOB 1110	BEGIN POUR 1050	FINISH POUR 1200	LEAVE JOB	ARRIVE AT PLANT	USAGE CODE	SUB TOTAL
TOTAL WAIT TIME	PREVIOUS TRUCK 510	LOAD # 2	SLUMP 4	MAP PAGE	TIME DUE ON JOB 10:52	TAX RATE RI	TAX	
DATE 07-May-13	ORDER # 5006	PLANT 47	TRUCK # 563	DELIVERY PROFESSIONAL FRANK CAVILTOLO	ORDER GRAND TOTAL	TOTAL		
DRUM REV - AT PLANT	DRUM REV - START	DRUM REV - FINISH	DEPUTY WEIGHMASTER FUSCO, WILLIAM	CONTROL #  12841956				

Begin (are Aggregate	54538 Cement	zero	Source
AUCSDA 10580 Lb	10550 In Tol	3.1% Moist	Y
AUGNSA 11410 Lb	11410 In Tol	0.0% Moist	N
		% Moist	
		% Moist	
		% Moist	

CUCM12 2800 Lb	2810 In Tol
CUFASH 700 Lb	695 In Tol


XUE12 39 oz	39 In Tol	GRACE
XUN11 56 oz	58 Out Tol	

WATER1 1135 Lb	1135 In Tol	WATER2 299 Lb	299 Out Tol
----------------	-------------	---------------	-------------

DISPATCH LOCATIONS	
PLANT LOCATIONS:	NEW JERSEY: BERNARDSVILLE, BOGOTA, E. NEWARK, HOWELL, JERSEY CITY, MT. HOPE, RED BANK, RIVERDALE, ROSELAND, SECAUCUS
	NEW YORK: MT. VERNON, WEST NYACK, BROOKLYN, STATEN ISLAND

475 Market Street, Suite 302
 Elmwood Park, NJ 07407
 (201) 797-7979
1-800-822-7242

TICKET NUMBER



WARNING: IRRITATION TO THE SKIN AND EYES: Contains Portland Cement. Wear rubber boots and gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with eyes and prolonged contact with skin. In case of contact with skin or eyes, flush thoroughly with water. If irritation persists, get medical attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

WE DO NOT GUARANTEE FINISHED RESULTS OBTAINED FROM THIS LOAD OF CONCRETE AS MANY IMPORTANT FACTORS AFFECTING THE ULTIMATE QUALITY OF THE COMPLETED JOB ARE OUT OF OUR CONTROL. We do not warrant that the concrete can be used in any particular environment or soil conditions or that the concrete is fit for any particular use. Selection of the mix design and/or specification of the mix design parameters are solely the responsibility of the Customer, and we assume no liability therefore.

PLEASE NOTE: THIS LOAD OF CONCRETE IS PRODUCED IN ACCORDANCE WITH STANDARD SPECIFICATIONS FOR READY-MIX CONCRETE ASTM. ANY DE-ICING MATERIALS, IMPROPER FINISHING AND LACK OF CURING WILL CAUSE DAMAGE OR A DECREASE IN STRENGTH.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE AND AGREE TO THE TERMS AND CONDITIONS ON REVERSE SIDE. TIME IN EXCESS OF FREE TIME WILL BE CHARGED AT CURRENT DELAY RATE. ALL C.O.D. DELIVERIES MUST BE PAID IN ADVANCE AND LOAD ACCEPTED BY SIGNING THIS DELIVERY TICKET BEFORE POURING.

LOAD RECEIVED BY:

X *[Signature]*

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer: The size and weight of this truck could cause damage to the premises and/or adjacent property if this load is placed where you desire. It is our wish to help you in every way that we can, but in order to do this, we are requesting that you sign this RELEASE relieving this supplier and its affiliates from any responsibility from damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc., due to the delivery of this material, and that you also agree to help the driver remove mud from the wheels of his vehicle so that it will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier and its affiliates for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED: **X** *[Signature]*

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

WATER ADDED AT CUSTOMER REQUEST
 EXCESSIVE WATER IS DETRIMENTAL TO CONCRETE PERFORMANCE.

REQUESTOR'S NAME
 SA *[Signature]*

FULL LOAD	1/4 LOAD	1/2 LOAD	3/4 LOAD
20 (GALLONS)			

TEST RESULTS

SLUMP	CONC. TEMP.	AIR%

CYLINDERS TAKEN: ☐ YES ☐ NO

NAME OF TESTING LAB:

CUSTOMER: RIDCA, JOSEPH			CUSTOMER CODE: 14			DELIVERY ADDRESS		
PROJECT NAME: JOSEPH RIDCA - VARIOUS STATE			PROJECT CODE: 1918707			132 SCRIBNER AVE, STATEN ISLAND, NY		
CUSTOMER P.O. #		SPECIAL INSTRUCTIONS: MIX 10.4% W/W						
CUSTOMER JOB ID #								
LOAD QUANTITY	ORDERED QTY	CUMULATIVE QTY	PRODUCT ID	DESCRIPTION			UNIT PRICE	EXTENDED PRICE
7.00	17.00	17.00	45015567	3000 PSI				
1.00			EFUEL1	Fuel Surcharge				
BATCH TIME	LEAVE PLANT	ARRIVE JOB	BEGIN POUR	FINISH POUR	LEAVE JOB	ARRIVE AT PLANT	USAGE CODE	SUB TOTAL
10:00	10:40	11:10	10:40	11:00				
TOTAL WAIT TIME	PREVIOUS TRUCK	LOAD #	SLUMP	MAP PAGE	TIME DUE ON JOB	TAX RATE	TAX	
	510	2	3		10:52	RI		
DATE	ORDER #	PLANT	TRUCK #	DELIVERY PROFESSIONAL			ORDER GRAND TOTAL	TOTAL
07-May-13	5006	17	503	DINK CAVILTOLO				
DRUM REV - AT PLANT	DRUM REV - START	DRUM REV - FINISH	DEPUTY WEIGHMASTER			CONTROL #		
			FUSCO, WILLIAM			12841956		



BEGIN	TAPE	HYDRATED	4500	CEMENT	WATER	SOURCE
AUCSDA	10580	LB	10550	In Tol	3.1%	Moist Y
AUGNSA	11410	LB	11410	In Tol	3.1%	Moist N
					%	Moist
					%	Moist
					%	Moist
CUCEM12	2800	LB	2810	In Tol		
CUFASH	700	LB	695	In Tol		
XUE12	35	oz	39	In Tol		GRACE
XUN11	36	oz	58	Out Tol		7500


WATER 1 1135 1135 In Tol 1135 200 LB 1135 Out Tol

TICKET NUMBER

DISPATCH LOCATIONS

PLANT LOCATIONS: NEW JERSEY: BERNARDSVILLE, BOGOTA, E. NEWARK, HOWELL, JERSEY CITY, MT. HOPE, RED BANK, RIVERDALE, ROSELAND, SECAUCUS
NEW YORK: MT. VERNON, WEST NYACK, BROOKLYN, STATEN ISLAND

475 Market Street, suite 302
Elmwood Park, NJ 07407
(201) 797-7979
1-800-822-7242



WARNING: IRRITATION TO THE SKIN AND EYES: Contains Portland Cement. Wear rubber boots and gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with eyes and prolonged contact with skin. In case of contact with skin or eyes, flush thoroughly with water. If irritation persists, get medical attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

WE DO NOT GUARANTEE FINISHED RESULTS OBTAINED FROM THIS LOAD OF CONCRETE AS MANY IMPORTANT FACTORS AFFECTING THE ULTIMATE QUALITY OF THE COMPLETED JOB ARE OUT OF OUR CONTROL. We do not warrant that the concrete can be used in any particular environment or soil conditions or that the concrete is fit for any particular use. Selection of the mix design and/or specification of the mix design parameters are solely the responsibility of the Customer, and we assume no liability therefore.

PLEASE NOTE: THIS LOAD OF CONCRETE IS PRODUCED IN ACCORDANCE WITH STANDARD SPECIFICATIONS FOR READY MIX CONCRETE ASTM. ANY DE-ICING MATERIALS, IMPROPER FINISHING AND LACK OF CURING WILL CAUSE DAMAGE OR A DECREASE IN STRENGTH.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE AND AGREE TO THE TERMS AND CONDITIONS ON REVERSE SIDE. TIME IN EXCESS OF FREE TIME WILL BE CHARGED AT CURRENT DELAY RATE. ALL C.O.D. DELIVERIES MUST BE PAID IN ADVANCE AND LOAD ACCEPTED BY SIGNING THIS DELIVERY TICKET BEFORE POURING.

LOAD RECEIVED BY:

X

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer - The size and weight of this truck could cause damage to the premises and/or adjacent property if this load is placed where you desire. It is our wish to help you in every way that we can, but in order to do this we are requesting that you sign this RELEASE relieving this supplier and its affiliates from any responsibility from damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc., due to the delivery of this material, and that you also agree to help the driver remove mud from the wheels of his vehicle so that it will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier and its affiliates for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED: X

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

WATER ADDED AT CUSTOMER REQUEST
EXCESSIVE WATER IS DETRIMENTAL
TO CONCRETE PERFORMANCE.

X REQUESTOR'S NAME

FULL LOAD	¾ LOAD	½ LOAD	¼ LOAD
(GALLONS)	(GALLONS)	(GALLONS)	(GALLONS)

TEST RESULTS

SLUMP	CONC. TEMP.	AIR%
-------	-------------	------

CYLINDERS TAKEN: ☐ YES ☐ NO

NAME OF TESTING LAB:

CUSTOMER P.O. #				CUSTOMER CODE		DELIVERY ADDRESS			
PROJECT NAME				PROJECT CODE		100 BERNARD AVE, STATEN ISLAND, NY			
CUSTOMER P.O. #		SPECIAL INSTRUCTIONS							
CUSTOMER JOB ID #									
LOAD QUANTITY	ORDERED QTY	CUMULATIVE QTY	PRODUCT ID	DESCRIPTION			UNIT PRICE	EXTENDED PRICE	
17.00	17.00	17.00	45010507	4500 PSI					
BATCH TIME		LEAVE PLANT	ARRIVE JOB	BEGIN POUR	FINISH POUR	LEAVE JOB	ARRIVE AT PLANT	USAGE CODE	
TOTAL WAIT TIME		PREVIOUS TRUCK	LOAD #	SLUMP	MAP PAGE	TIME DUE ON JOB		TAX RATE	
DATE		ORDER #	PLANT	TRUCK #	DELIVERY PROFESSIONAL		ORDER GRAND TOTAL	TOTAL	
DRUM REV - AT PLANT	DRUM REV - START	DRUM REV - FINISH	DEPUTY WEIGHMASTER						

CONTROL #



12841956