



Buildings



LAA Permit Department of Buildings

Permit Number: 102148748-LAA

Issued: 11/26/2001
10:49 AM

Expires: 11/26/2002

Address: MANHATTAN 99 HAMILTON PLACE

Issued to: GERALD L STEUER

Business: J D L B PLBG & HTG CORP

Floors: BAS

Licensee No: P - 000997

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Heat, Water Heater

MERCURY TEST EXISTING GAS LINE FROM NEW CLASS 500 METER BAR IN THE BASEMENT TO NEW BURNHAM KIN7 STEAM BOILER, 210,000 BTUS, MEA 154-93-E AND EXISTING A.O. SMITH 50 GALLON HOT WATER HEATER PGC50, 50,000 BTU, MEA 397-93-E. (REPLACING EXISTING STEAM BOILER) NOTE: EMERGENCY HEAT REPAIR

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 11/26/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.