



Buildings

LAA Permit Department of Buildings

Permit Number: **102364932-LAA**

Issued: **04/06/2006
11:30 AM**

Expires: **04/06/2007**

Address: **MANHATTAN 2 ST NICHOLAS TERRACE**

Issued to: **WHITLEY MYKE**

Floors: **BAS**

Business: **VAN-B PLBG.& HTG. CO., INC**

Description of Work: **Plumbing: GAS EQUIPMENT/PIPING**

Licensee No: **P - 001428**

Gas Usage(s): **Water Heater**

**INSTALLED 500 METER BAR & 1-NEW GAS RISER FROM METER BAR TO H/W/H IN BASE. INSTALLED 1
1/2" 3/4" OVERHEAD TO BOILER ROOM 100GAL COMMERCIAL HWH INBOILER ROOM GAS USED ONLY FOR
H/W/H VENT THRU CHIMNEY AMERICAN STANDARDMEA#4-99-E BTU'S 250,000 MODEL#D100-250AS**

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.