



Buildings



LAA Permit Department of Buildings

Permit Number: **110519993-LAA**

Issued: **09/07/2010**
12:26 PM

Expires: **09/07/2011**

Address: **MANHATTAN 243 WEST 24 STREET**

Issued to: **GORDON J RUGG**

Floors: **CEL,001**

Business: **DONATO INC**

Licensee No: **P - 000827**

Description of Work: **Plumbing: GAS EQUIPMENT/PIPING**

Gas Usage(s): Heat, Cooking, Water Heater

**OIL TO GAS CONVERSION IN CELL VENT THRU EXIST CHIMNEY INSTALL SMITH BOILER W/POWERFLAME
JR15A-10 BURNER MEA#98-78E VOL 3 AO SMITH 75GAL 75,100BTU'S MEA#346-06E RUN APPRX 15' OF
1 1/4" PIPE GAS TEST & CERTIFICATE REQUIR TEST GASLINE FOR COOKING ON 1FL**

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.