




Buildings



LAA Permit Department of Buildings

Permit Number: 110526547-LAA

Issued: 01/31/2011
10:36 AM

Expires: 01/31/2012

Address: MANHATTAN 89 EAST 4 STREET

Issued to: CHARLES V BARONE

Floors: CEL

Business: J. BARONE & CO INC

Licensee No: P - 000824

Description of Work: *Plumbing: GAS EQUIPMENT/PIPING*

Gas Usage(s): Heat, Water Heater

REPLACE LEAKING APPROX 8' SECTION OF 1-1/4" EXPOSED UNINSULATED BLACK GAS PIPESERVICING EXISTING TELEDYNE LAARS PW 0250 ATMOSPHERIC BURNER FOR DOMESTIC HOTWATER. GAS PRESSURE TEST ON 2" GAS OVERHEAD 30' & REPAIRED 1-1/4" GAS BRANCH FROM EX'G BURNER FOR GAS AUTH. ALL EX'G EQUIP ON EX'G FLUE. SEE#102893567.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/28/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.