



Buildings



LAA Permit Department of Buildings

Permit Number: 110538231-LAA

Issued: 04/15/2011
12:33 PM

Expires: 04/15/2012

Address: MANHATTAN 5 EAST 51 STREET

Issued to: ELLIOT I CLARK

Floors: CEL 002 thru 006

Business: CALRAY GAS HEAT CORP

Licensee No: P - 000321

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Cooking

PERFORM INTEGRITY TEST FOR COOKING USE ONLY IN RESIDENTIAL APTS FLOORS 2-6. INSTALL TWIN SET METER & RUN APPROX 60 FT OF 1 1/4" GAS PIPING IN CELLAR FOR COOKING IN APTS#3A,4A,5A,3B,4B,5B,3C,4C,5C,3D,4D,5D. RUN APPROX. 10 FT OF 3/4" GAS PIPE IN APTS#3C,4C,5C,3D,4D,5D. FIRESTOPS WILL NOT BE COMPROMISED.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 02/22/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.