



Buildings

LAA Permit Department of Buildings

Permit Number: 121656706-LAA

Issued: 02/11/2014
10:59 AM

Expires: 02/11/2015

Address: MANHATTAN 864 WEST END AVENUE

Issued to: EDWIN VAZQUEZ

Floors: BAS

Business: METRO P & H INC

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Licensee No: P - 001526

Gas Usage(s): Heat

REPLACE GAS FIRED BOILER (NYC BOILER NUMBER MD 101368) AND CONNECT TO EXISTING MASONRY CHIMNEY AT BASEMENT NO GAS TEST REQUIRED NO HEAT & NO HOT WATER FOR THE ENTIRE BUILDING. REMOVE & INSTALL NEW BOILER WEIL-MCLAIN EGH 115 RATED AT 500,000BTU IN ORDER TO PROVIDE HEAT & HOT WATER FOR ALL THE APARTMENTS. FILING CONJUNCTION WITH LAA#110512295. FOR SIGN-OFF PURPOSE ONLY.

0109JC

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.