



Buildings



LAA Permit Department of Buildings

Permit Number: 122289004-LAA

Issued: 08/20/2015
4:47 PM

Expires: 08/20/2016

Address: MANHATTAN 376 BROADWAY

Issued to: CARL TERMINE JR

Floors: SUB

Business: ADVANCED P, MECH & SPR COR

Licensee No: P - 001338

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Dryer

IN SUB CELLAR, REGISTER (2) MAYTAG GAS DRYERS AND (4) AMERICAN DRYERS. (EACH DRYER HAS 2 DRYER POCKETS.) VENTED THRU DRYER EXHAUST SYSTEM. REMOVE (12) GAS FLEX CONNECTORS AND REPLACE WITH APPROX. 36' OF 3/4" GAS PIPING. (APPROX. 6' PER UNIT). ALL WORK DONE AFTER SHUT OFF VALVE. FIRESTOPS WILL NOT BE COMPROMISED. LAUNDRY ROOM SHOWN ON CO #M000113288. 0202IS/0729/5IS*

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.