



Buildings



LAA Permit Department of Buildings

Permit Number: 122310203-LAA

Issued: 04/22/2016
10:35 AM

Expires: 04/22/2017

Address: MANHATTAN 851 WEST END AVENUE

Issued to: ADOLFO M OSSO

Floors: CEL, 006

Business: OSSO PLBG & HTG CORP

Licensee No: P - 001803

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking

RESTORATION OF GAS FOR COOKING PURPOSES IN 18 RESIDENTIAL DWELLING UNITS-ONLY 1 GAS RANGE IN CELLAR APT BB. ACCOMPANIED BY A CERTIFIED C OF O. EXISTING COMMON GAS MEER FOR 15 APTS FOR 2-1" 1/4 GAS RISER WITH SEPARATED LOCK QUEEN VALVE, AND THE 3RD RISER IS FOR APT 1F, 3R & 4F (GAS METER INSIDE THE APT) REPLACE 2" BLACK ELBOW IN THE CELLAR BEFORE GAS METER AND 1-1" 1/4 BLACK ELBOW & LEFT AND RIGHT COUPLING & LEFT AND RIGHT NIPPLE ON TH 4TH FL APT 4R. REPLACE 1" 1/4 X 3/4" BLACK T & APPRX 5' OF 1-1/4" BLACK PIPE. REPLACED ALL GAS APPLIANCES, VALVES & CONNECTORS. NO GAS PIPE IN PUBLIC AREAS. _____0307/6A0

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 07/17/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.