



Buildings



LAA Permit Department of Buildings

Permit Number: 122312611-LAA

Issued: 06/17/2016
1:09 PM

Expires: 06/17/2017

Address: MANHATTAN 203 WEST 90 STREET

Issued to: LOUIS R ABRAMO

Floors: CEL 011

Business: ORBIT PLBG & HTG INC

Licensee No: P - 000957

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking, Dryer

GAS TURNED OFF BY UTILITY COM. REPLACE GAS PIPING IN CELL: APPROX. 40' OF 3", 70' OF 2 1/2", 70' OF 2", 130' OF 1 1/2" & INSTALL NEW APPLIANCE VALVES & FLEX HOSE IN ALL APTS. PERFORM GAS TEST FOR 2 METERS FROM CEL TO CEL FOR 1 APT & LAUNDRY. LINES A.C.D 18 APTS ON FLOORS 1-6 & LINE B,E,F,G,H 25 APTS ON FLS 2-6 FOR COOK (METERS-INSIDE APTS). 1-TWIN METER ARE LOC. IN CELL FOR LINES A-H(EACH LINE HAS 5 APT-40 TOTAL) ON FL. 7 THRU 11 FOR COOK & DRYERS ONLY. FIRESTOPS NOT COMPROM. ELECTRIC DRYERS IN APTS 8C, 8H, 9CD, 10CD, PH: AB, C, D, F, G. INSTALL ADDIT GAS LOCK VALVES ON EXIST GAS RISERS. REPL. 45 METER BARS FOR APT: 2-6 FL_A0920/6RG

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 09/16/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.