



Buildings



LAA Permit Department of Buildings

Permit Number: 122314370-LAA

Issued: 12/27/2016
4:21 PM

Expires: 04/24/2019

Address: MANHATTAN 851 WEST END AVENUE

Issued to: ADOLFO M OSSO

Business: OSSO PLBG & HTG CORP

Floors: CEL

Licensee No: P - 001803

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Dryer

REMOVE 2 FLEXIBLE GAS CONNECTOR FOR 2 DRYERS & REPLACE IT WITH 3/4" BLACK PIPE APPROX 14 FT LONG & 5 FEET OF 1" BLACK PIPE UP TO THE 1" LOCKABLE VALVE, LOCATED IN THE LAUNDRY ROOM. REPLACE 4" FLEXIBLE VENT KIT (EXHAUST OF 2 DRYERS) FOR 4" GALVANIZED GAUGE 26 (HARD PIPE) TO EXT'G 2 DRYERS (FILE UNDER JOB #100487368 & SIGN OFF BY DOB 12/10/1993). TEST GAS FROM 1" LOCKABLE VALVE (LOCK BY CON EDISON) TO EXT'G DRYERS. NO CHANGE IN USE, EGRESS OR OCCUPANCY. ACP5 DEP CONTROL#1234543 & CAI#113370.0601/6AM, 0623/6GP*, 0721/6LP*, 1025/6LP*, A0306/7LP, R0609/7LP, R0214/8A0*, R/A0307/8A0, R0326/8A0, 0402/8A0*, AR0417/8A0*, A0504/8A0*

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 07/17/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.