



Buildings



LAA Permit Department of Buildings

Permit Number: 122315280-LAA

Issued: 08/15/2016
11:20 AM

Expires: 08/15/2017

Address: MANHATTAN 214 WEST 24 STREET

Issued to: BRYAN KAPLAN

Floors: 003

Business: WYNNE PLBG & HEATING CORP

Licensee No: P - 000870

Description of Work: Plumbing: WATER PLUMBING WORK

IN APARTMENT 3E ON THE 3RD FLOOR REPLACE APPROX. 40FT. OF 1/2" COPPER PIPING AND APPROX. 40FT OF 1 1/2" AND 2" NO HUB PIPING. INSTALL 1 NEW LEAD PAN REPLACE 1 LAV, 1 WC AND 1 TUB ON EXISTING ROUGHING IN EXACT LOCATION. REPLACE 1 DISHWASHER ON EXISTING ROUGHING IN EXACT LOCATION TO COMPLY WITH ECB VIOLATION # 35142573Z. FIRESTOPS AS PER NYC CODE.

0620/6BK*__0725/6GM* 0805/6BK*

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.