



Buildings



LAA Permit Department of Buildings

Permit Number: 122580199-LAA

Issued: 09/30/2016
11:20 AM

Expires: 09/30/2017

Address: MANHATTAN 210 WEST 10 STREET

Issued to: AHMET T SANGIRAY

Floors: CEL,OSP 001 thru 006

Business: P.S.I. MECHANICAL

Licensee No: P - 001790

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking, Boiler Pilot

GAS SHUT OFF REMOVE EA METER FROM EA APT & RELOCATE RISERS TO CEL,OSP-6FL WITH (1) TWIN SET METER AS PER REQUEST OF UTILITY COMPANY DUE TO NOT BEING ABLE TO COORDINATE ACCESS FOR ALL WORK. REPLACE APPROX 60'X2" GAS PIPE 30'X 1 1/2" GAS PIPE 350'X 1 1/4" GAS PIPE & 200'X3/4" GAS PIPE FROM REPLACED/UPGRADE TWIN SET METER BAR IN CEL TO EXIST BOILER PILOT IN CEL & TO EXISTING COOKING EQUIP FROM CEL & OSP TO APT 1A-1D/1FL, 2A-2G/2FL,3A-3G/3FL,4A-4G/4FL,5A-5G/5FL,6A-6G/6FL FIRESTOPS REPLACED IF COMPROMISED.INSTALL LOCK VALVE AT BASE OF EACH RISER. CAP AND REMOVE THE GAS LINES INSTALLED FOR FUTURE USE. PW1 TO FOLLOW.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 03/30/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.