



Buildings



LAA Permit Department of Buildings

Permit Number: 122581223-LAA

Issued: 10/21/2016
1:31 PM

Expires: 10/21/2017

Address: MANHATTAN 26 CARMINE STREET

Issued to: MARCO ZEFI

Floors: CEL 006

Business: ZEFI MECHANICAL INC

Licensee No: P - 002333

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking

TEST 25 RISERS FOR 25 RES APTS FOR COOKING. PERFORM GAS TEST TO OBTAIN GAS AUTHORIZATION TO RESTORE GAS FOR APT 1A-5A, REPLACE EX'G SECTIONS OF 3/4" GAS PIPING LOCATED IN CEL FOR APTS 1C-40FT, 2C-15FT, 3C-15FT, 4C-15FT, 5C-15FT, 1B-15FT, 2B-15FT, 3B-15FT, 4B-15FT, 5B-15', 1D-9FT, 2D-8FT, 3D-6FT, 4D-4FT, 5D 3FT, 1E-20FT, 2E-20FT, 3E-20FT, 4E-20FT, 5E - 20FT, & GAS TEST. REPLACE 25 EX'G METER BARS WITH NEW 20LT. CL250 METER BARS IN CEL. WORK BEING DONE IN 2FL 1A-1E, 3RD FL 2A-2E, 4TH FL 3A-3E, 5TH FL 4A-4E, 6TH FL 5A-5E. FIRESTOPS NOT COMPROMISED. NO PIPING IN PUBLIC AREAS. 0920/6RM_1004/6TC_1014/6MZ_1021/6MZ

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.