



Buildings



LAA Permit Department of Buildings

Permit Number: 123245381-LAA

Issued: 07/19/2018
4:50 PM

Expires: 07/19/2019

Address: MANHATTAN 385 EDGECOMBE AVENUE

Issued to: MITCHELL J MARKOWITZ

Floors: CEL, OSP 001 thru 006

Business: METROPOLITAN PLBG AND HTG

Licensee No: P - 001167

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking

EWN #16666: DUE TO LEAK & GAS SHUTDOWN TEST EXISTING GAS LINES FOR EXISTING STOVES IN 42 RESID. APTS-1-6, 21-27, 31-37, 41-47, 51-57, 61-67(FLS 1-6) & SUPERS APT IN CELLAR (SEE ATTACHED I CARD). REPLACE 42 METERBARS FOR EXISTING METERS & REPLACE APPROX 135' OF 3", 80' OF 2" & 20' OF 1" GAS PIPE IN CELLAR & APPROX 2000' OF 3/4" GAS PIPE FROM CEL TO OSP THRU TO THE 6TH FL. REPL GAS VALVE & FLEX CONNECTOR BEHIND EACH STOVE IN EACH APT. FIRESTOPS TO BE RESTORED. PIPE WILL BE THRU APTS & NOT IN HALLWAYS. AS PER CON ED REQUEST MOVING METER FROM APTS TO CELLAR. _____ 0710/8AP, 0717/8AM/JF_A1123/8AM

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/22/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.