




Buildings



LAA Permit Department of Buildings

Permit Number: 123245425-LAA

Issued: 07/16/2018
6:26 PM

Expires: 07/16/2019

Address: MANHATTAN 8 THOMAS STREET

Issued to: JESSE A SKINNER

Floors: CEL,003,MEZ,SUB

Business: SKINNER PLUMBING & HEATIN

Licensee No: P - 001912

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Heat, Cooking, Dryer

EWN #16688: DUE TO CONED SHUTDOWN OF THE METER FOR APT #3 (3RD FLOOR AND MEZZ 2) FILING TO PERFORM INTEGRITY TEST FROM EXISTING METER AT CELLAR TO THE EXISTING BOILER (AT SUBCELLAR) TO THE EXISTING COOKING RANGE AT THE THIRD FLOOR AND THE EXISTING GAS DRYER AT MEZZ2. (ALL APPLIANCES INSTALLED UNDER 102553808). HOT WATER IS NON-GAS. GAS AUTH REQUESTED. PAA TO FOLLOW FOR ANY RELATED REMEDIAL WORK, AND DATE OF CONED TURN-ON. WORK DONE UNDER EWN 16688.

0712/8AS

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/02/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.