



Buildings



LAA Permit Department of Buildings

Permit Number: 123280555-LAA

Issued: 06/18/2018
5:08 PM

Expires: 06/18/2019

Address: MANHATTAN 255 6 AVENUE

Issued to: BERNARD KENNY

Floors: 001 thru 006

Business: B.K. PLBG. & HTG. CORP

Licensee No: P - 001857

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking

EWN # 15655: DUE TO GAS LEAK & GAS SHUTDOWN. TEST EXISTING GAS LINE FOR EXIST STOVES IN 25 RESID. APTS. GAS USAGE: COOKING REPLACE APPROX 80 FEET OF 2" GAS OVERHEAD PIPING FROM MAIN VALVE. REPLACE APPROX 575 FEET OF 3/4" RISERS IN SAME LOCATION AS EXISTING RISERS. REPLACE TWO (2) EXISTING GAS BANKS. REPLACE (25) METER BARS IN SAME LOCATION AS EXISTING. REPLACE 25 RISERS IN SAME LOCATION AS EXISTING THROUGH THE APARTMENTS FOR COOKING ONLY FOR 1-6 FLS. NO APT IN CEL. FIRESTOPS WILL NOT BE COMPROMISED. 25 NEW APPLIANCE VALVE/GAS_FLEX _____ 0502/8BK, 0516/8BK, 0523/8BK, 0601/8BK_A0706/8BK_A0723/8BK

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.