



**Buildings**

# LAA Permit Department of Buildings

Permit Number: 140005535-LAA

Issued: 12/29/2011  
5:39 PM

Expires: 12/29/2012

Address: MANHATTAN 253 WEST 102 STREET

Issued to: JOSEPH GEE

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Business: AAA TOTAL PLUMBING, INC  
Licensee No: P - 002132

Gas Usage(s): Heat

DIRECT REPLACE ONE EG-95(400,000BTU) WEIL McLAIN STEAM BOILER, MEA#159-75-E, NO GAS ROUGHING AND GAS TEST REQUIRED, EXISTING GAS PIPING AND EXISTING CHIMNEY. GAS COCK NOT MOVED & CHIMNEY IN GOOD CONDITION. FINISH INSPECTION ONLY. (4) FAMILY RESIDENCE DWELLING, NO BOILER INSPECTION REQUIRED.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

*This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.*

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.