



**Buildings**

# LAA Permit Department of Buildings

Permit Number: 140019922-LAA

Issued: 06/12/2012  
1:43 PM

Expires: 06/12/2013

Address: MANHATTAN 496 6 AVENUE

Issued to: JOHN L WOOD

Floors: BAS

Business: HUB HOLDINGS, INC

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Licensee No: P - 002305

Gas Usage(s): Heat, Cooking, Water Heater

REPLACE APPROX 20' OF 1 1/2" DISTRIBUTION PIPING IN THE BASEMENT. REGISTER REPLACE 1-A.O.SMITH XCV-50 HWH MEA#376-04-E BTU`S 50,000 CONNECTED TO EXISTING CHIMNEY. TEST EXISTING MODINE UNIT HEATER FILED UNDER #102371167 COOKING IN 2-RESIDENTIAL APTS. FIRESTOP WILL NOT BE COMPROMISED.  
ACP5 FILED UNDER #100726172

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

*This permit copy created on 01/22/2026 reflects the Commissioner(s) as of such date.*

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.