



Buildings

LAA Permit Department of Buildings

Permit Number: 140070410-LAA

Issued: 04/16/2013
10:34 AM

Expires: 04/16/2014

Address: MANHATTAN 868 AMSTERDAM AVE

Issued to: MARTIN K RICHICHI

Floors: 001 thru 016

Business: NYC HOUSING AUTHORITY

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Licensee No: P - 002139

Gas Usage(s): Cooking

REPLACE G-LINE GAS RISER BSMT TO 16TH FL TO RESTORE COOKING GAS TO 15 APT & 1 SENIOR CTR STOVE ON 1ST FL (NO 1ST FL APT) RISER INSTALL IN NEW PENETRATIONS IN APT & CENTER BEHIND STOVE. PIPING INCLUDES 1-1" LGV, 1-1" L/R NIP & COUP, 16-3/4" GASCOCK, 16-3/4" GASFLEX, 160'-1" PIPE, 10'-3/4" PIPE & ASSORTED NIP & FITTINGS FIRESTOP INSTALLED.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.