



Buildings



LAA Permit Department of Buildings

Permit Number: 140282851-LAA

Issued: 11/19/2014
1:06 PM

Expires: 11/19/2015

Address: MANHATTAN 128 WEST 112 STREET

Issued to: ANDRZEJ M NATKANIEC

Floors: CEL

Business: A.M.N. CORPORATION

Licensee No: P - 001884

Description of Work: Plumbing: OTHER PLUMBING

DIRECT REPLACEMENT OF HOT WATER HEATER. INSTALL LOCHINVAR CWN225PM-FI (225,000 BTU). GAS WATER HEATER AND LOCHINVAR RJS 80 80GALLONSTORAGE TANK. LISTING FILE # FOR BOTH LOCHINVAR MODELS: 112397_0_000. CONNECT FLUE TO EXISTING CHIMNEY.INSTALL NECESSARY SAFETY CONTROLS & WIRE THEM.START UP THE HOT WATER HEATER AND TEST IT FOR PROPER OPERATION

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 07/20/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.