



Buildings

LAA Permit Department of Buildings

Permit Number: 140373708-LAA

Issued: 07/09/2015
5:27 PM

Expires: 07/09/2016

Address: MANHATTAN 589 AMSTERDAM AVE

Issued to: MARTIN K RICHICHI

Floors: 001 thru 018

Business: NYC HOUSING AUTHORITY

Description of Work: Plumbing: GAS PLUMBING WORK

Licensee No: P - 002139

Gas Usage(s): Cooking

REPLACE G-LINE GAS RISER BSMT TO 18TH FL TO RESTORE COOKING GAS TO 18 APT RISER RUNS
EXPOSED IN EXISTING PENETRATIONS BEHIND STOVE IN KITCHEN. 1-2" LGV, 1-2" L/R NIP/COUP, 18-
3/4" GASFLEX, 18-3/4" GASCOCK, 80'-1 1/2", 80'-1 1/4", 30'-1" 7 ASST NIP/FITT TO COMPLETE
WORK. FIRESTOP INSTALLED

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.