



Buildings



LAA Permit Department of Buildings

Permit Number: **140381584-LAA**

Issued: **07/27/2015
2:53 PM**

Expires: **07/27/2016**

Address: **MANHATTAN 1150 FIFTH AVENUE**

Issued to: **PHILIP J KRAUS**

Floors: **005, THR, 014**

Business: **FRED SMITH P&H CO INC**

Licensee No: **P - 000620**

Description of Work: **Plumbing: WATER PLUMBING WORK**

D-LINE COLD WATER RISER LOCATED IN KITCHEN AREA, TO REPLACE 100FT OF OLD GALV PIPE FROM APT 14-D THRU APT 5-D USING 110-FT OF 1 1/2" TYPE-L COPPER PIPE. EACH FLOOR LISTED TO REPLACE CONTROL VALVES SIZE 3/4" AND RECONNECT TO THE EXISTING BRANCH PIPING. TO RECONNECT ALL PIPING WITH DIELECTRIC NIPPLES. PIPING WILL BE INSULATED. ALL PIPING REPLACED IN SAME LOCATION.

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 11/30/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.