




Buildings



LAA Permit Department of Buildings

Permit Number: 140396337-LAA

Issued: 08/28/2015
9:07 AM

Expires: 08/28/2016

Address: MANHATTAN 16 SUTTON PLACE

Issued to: PHILIP J KRAUS

Floors: 016

Business: FRED SMITH P&H CO INC

Licensee No: P - 000620

Description of Work: *Plumbing: GAS PLUMBING WORK*

Gas Usage(s): Cooking

THE BUILDINGS COMMON MASTER METER AND RISER SUPPLYING ALL APTS,WORK IN APT 16C,KITCHEN AREA,BEHIND CUSTOMERS NEW REPLACEMENT STOVE,TO RELOCATE EXIST VALVE TO ACCOMMODATE STOVE BY INSTALLING 3/4" LOCK-WING VALVE.,3/4" NIPPLE, 3/4 ELBOW, APPROX 36" NIPPLE,TWO ELBOWS, SHORT NIPPLE AND NEW APPLIANCE VALVE 3/4".RECONNECT STOVE WITH NEW APPROVED GAS FLEX.TO BUBBLE TEST INLET LOCK WING AND PRESSURE TEST FROM APPLIANCE VALVE TO LOCKWING VALVE,ACCESS PANEL TO BE INSTALLED FOR LOCKWING

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/28/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.