



**Buildings**

# LAA Permit Department of Buildings

Permit Number: **140437999-LAA**

Issued: **12/08/2015  
9:53 AM**

Expires: **12/08/2016**

Address: **MANHATTAN 360 WEST 22 STREET**

Issued to: **ZELJAN UGARKOVIC**

Floors: **CEL**

Business: **ADRIATIC PLBG & HTG CORP**

Description of Work: **Plumbing: GAS PLUMBING WORK**

Licensee No: **P - 001814**

Gas Usage(s): **Cooking**

**GAS TURNED OFF BY UTILITY. IN CELLAR, REPLACE (1) 2" GAS RISER VALVE. REPLACE APPROX. 2' OF 2" GAS PIPING. PERFORM GAS TEST TO OBTAIN GAS AUTHORIZATION FOR 3 RISERS FOR COOKING ONLY FOR APARTMENTS B AND C ON FLOORS 2 THRU 17. NOTE: FIRESTOP WILL NOT BE COMPROMISED. AS PER AUDIT, WE WILL NOT BE TESTING 2 APTS. (APT.B&C) ON FLOORS 2 THRU 17 WHICH IS TOTAL OF 32 APTS, ALSO THERE ARE 3 RISE RS. C-LINE RISER FOR THE "C" APTS AND B-LINE RISER WHICH SPLITS INTO 2 RISERS (1-TO COVER GAS STOVE AND 1 TO COVER WALL OVEN IN EACH OF THE B APTS.**

**0112/6IS**

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings:

*This permit copy created on 02/10/2026 reflects the Commissioner(s) as of such date.*

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.