



Buildings



LAA Permit Department of Buildings

Permit Number: **140559054-LAA**

Issued: **10/04/2016**
9:46 PM

Expires: **03/01/2019**

Address: **MANHATTAN 315 WEST 100TH STREET**

Issued to: **ADOLFO M OSSO**

Floors: **CEL,001,002,003,004,005 001 thru 005**

Business: **OSSO PLBG & HTG CORP**

Description of Work: **Plumbing: GAS PLUMBING WORK**

Licensee No: **P - 001803**

Gas Usage(s): **Heat, Cooking, Other**

REPLACE GAS PIPING FOR ALL 10 COOKING STOVES. INSTALL ONE CLASS 500 METER BAR IN THE CELLAR AND ROUGH OUT NEW 1 1/2" CELLAR (HORIZONTAL) RISER TO TAP 2 1-1/4" VERTICAL RISERS FOR LINES A AND B WITH INDEPENDENT GAS LOCK QUEEN VALVE. REPLACE APPROX. 30 FEET OF 1-1/2" BLACK PIPE AND 30 FEET OF 1-1/4" BLACK PIPE. REPLACE 3-2" BLACK ELL AND 2-2" COUPLINS ON BOILER RISER. REPLACE FLEX. CONNECTORS AND 3/4" GAS VALVE. THERE IS NO COOKING IN THE CELLAR. NO PIPING WORK IN THE PUBLIC AREAS, NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILING IN CONJUNCTION WITH LAA#122580616. 0214/8A0

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 07/17/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.