



**Buildings**

# LAA Permit Department of Buildings

Permit Number: 140568188-LAA

Issued: 10/26/2016  
5:21 PM

Expires: 10/26/2017

Address: MANHATTAN 3604 BROADWAY

Issued to: THOMAS LORIA

Floors: BAS 001 thru 005

Business: GENUINE PLBG & HTG LLC

Description of Work: Plumbing: GAS PLUMBING WORK

Licensee No: P - 002174

Gas Usage(s): Cooking

DUE TO LEAK & GAS SHUTDOWN TEST EXT'G GAS LINES FOR EXT'G STOVES IN (8) APTS #2S, 2N, 3S, 3N, 4S, 4N, 5S, 5N(FLS 2-5), METERS ARE EXT'G. INSTALL (1) 1" LOCKABLE VALVE ON EXT'G METER BAR IN BAS FOR APT 2N. FIRESTOPSNOT COMPROMISED. IN APTS 5N(5 FL), 3N(3 FL)& 2S(2 FL): REMOVE EXT'G 1/2" GAS VALVE & PIPE FROM STOVE, REPLACE APPROX 100'X 3/4" BLK PIPE SUPPLYING STOVE, SUPPLY & INSTALL NEW 3/4" GAS VALVE & GAS FLEX. DISCONNECT & CAP GAS LINE FOR DRYER. IN APTS 2N(2ND FL)& 5S(5TH FL), DISCONNECT & REMOVE EXT'G WASHER & DRYER, CAP OFF EXT'G 1/2" BLK PIPE, SUPPLY & INSTALL (1) 1/2" LOCKWING GAS VALVE. NO GAS PIPE IN HALL. A0317/7KP

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

*This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.*

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.