



Buildings



LAA Permit Department of Buildings

Permit Number: **140585935-LAA**

Issued: **12/15/2016**
9:06 AM

Expires: **12/15/2017**

Address: **MANHATTAN 220 WEST 24 STREET**

Issued to: **BRYAN KAPLAN**

Floors: **001,003**

Business: **WYNNE PLBG & HEATING CORP**

Licensee No: **P - 000870**

Description of Work: **Plumbing: WATER PLUMBING WORK**

IN APARTMENT 3J ON THE 3RD FLOOR AND APT 1F ON THE 1ST FL IN BATHROOM REPLACE APPROX. 35' OF 2" WASTE AND VENT PIPING & APPROX. 50' OF 1/2" COPPER PIPING FOR REPLACEMENT OF 1-TUB, 1-TOILET AND 1-SINK. IN APT 3J IN KITCHEN REPLACE 5' OF 1/2" COPPER PIPING FOR DISHWASHER AND REPLACE 1-KITCHEN SINK ON EXISTING ROUGHING IN EXACT LOCATION. NO BUILDING MATERIALS DISTURBED.

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.