



Buildings

LAA Permit Department of Buildings

Permit Number: **140680911-LAA**

Issued: **08/11/2017
11:28 AM**

Expires: **08/11/2018**

Address: **MANHATTAN 11 WEST 9 STREET**

Issued to: **MICHAEL MANDO**

Floors: **CEL**

Business: **TRISTAR PLBG & HTG INC**

Description of Work: **Plumbing: GAS PLUMBING WORK**

Licensee No: **P - 002158**

Gas Usage(s): **Heat**

REPLACEMENT OF (1) GAS BOILER. CONNECT TO EXISTING CHIMNEY THAT IS IN GOOD WORKING CONDITION. INSTALL METER BAR FOR EXISTING METER & RUN APPROX 50' OF 2" & 10' OF 1" GAS PIPING IN THE CELLAR. FIRESTOP WILL NOT BE COMPROMISED. (HW HEATER IS ELECTRIC, THERE ARE NO OTHER GAS APPLIANCES ON THIS EXISTING METER)

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings: **Acting Commissioner of Buildings**

This permit copy created on 01/18/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.