




Buildings



LAA Permit Department of Buildings

Permit Number: 200969416-LAA

Issued: 08/03/2007
12:33 PM

Expires: 08/03/2008

Address: BRONX 317 EAST 178 STREET

Issued to: SCOTT KREITZER

Floors: BAS 001 thru 005

Business: CASA MECHANICAL CO. INC

Licensee No: P - 001294

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Heat, Cooking, Boiler Pilot

GAS SHUT OFF DUE TO LEAK IN SVC PIPE. REPLACE APPROX. 40 FT OF 3" BLK PIPE TO1ST FL
RISER.10 FT OF 2"BLK PIPE TO 2ND RISER.30 FT OF 1 1/2"BLK PIPE TO3RDRISER.40 FT OF 1 1/4"
BLK PIPE TO 4TH RISER.CHANGE ALL RISER GAS COCKS W/LOCKWING TYPE.NO CHANGE IN RISERS.ALL
APTS.TEST GAS LINES OBTAIN NEW GASCARD.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/01/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.