



Buildings



LAA Permit Department of Buildings

Permit Number: 210092335-LAA

Issued: 07/25/2008
10:37 PM

Expires: 07/25/2009

Address: BRONX 637 EAST 241 STREET

Issued to: GERI KAUUMBA

Floors: 001 thru 003

Business: CAPE PLUMBING INC

Licensee No: P - 001137

Description of Work: *Plumbing: GAS EQUIPMENT/PIPING*

Gas Usage(s): Heat, Cooking, Water Heater

2008 CODE. INSTALLING AN AMERICAN, MEA #87-88-E, MODEL G61-40 HWH @ 40,000 BTUS ALONG WITH THE EXISTING WEIL MCLAIN BOILER, FILED UNDER #200128227 CONNECTED TO APPROX. 20' OF 3/4" BLACK PIPE. THESE UNITS ARE VENTED THROUGH THE EXISTING CHIMNEY. TESTING THE ENTIRE GAS LINE DUE TO INACTIVITY. ALSO NEEDS A GAS CERT.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 03/15/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.