



Buildings

LAA Permit Department of Buildings

Permit Number: 210158407-LAA

Issued: 09/19/2012
2:42 PM

Expires: 09/19/2013

Address: BRONX 1417 PROSPECT AVENUE

Issued to: ARISTOTELIS DIAKOVASILIS

Floors: CEL

Business: AAD MECHANICAL CORP

Description of Work: Plumbing: OIL TO GAS CONVERSION

Licensee No: P - 001765

Gas Usage(s): Heat

REMOVING EXISTING CARLIN 801 CRD OIL FIRED BURNER AND INSTALLING BECKET CG250 GAS FIRE BURNER MEA 487-04E 2,700MBH TO THE EXISTING BOILER ROCKMILL MP40 MEA 987EE 1,600,000BTU. 50'X2" BLACK IRON PIPE SHALL AND CONNECTED TO EXISTING GAS LINE. NEW METER AND METER BAR SHALL BE INSTALLED. BOILER TO VENT TO EXISTING CHIMNEY. CHIMNEY IN GOOD CONDITION. 0719AD / 0730AD 0822AD 0904AD

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/21/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.