



Buildings



LAA Permit Department of Buildings

Permit Number: 220315184-LAA

Issued: 09/11/2017
10:01 AM

Expires: 09/11/2018

Address: BRONX 150 WEST 179 STREET

Issued to: ROBERT J DWYER

Floors: CEL,005

Business: APPLIED PLUMBING SYS INC

Licensee No: P - 002051

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking

IN ORDER TO COMPLY WITH ECB VIOLATION #35141260N IN APT 5C. ON THE 5TH FLOOR WE WILL REPLACE(1)GALVANIZED NIPPLE WITH A 3/4"BLACK NIPPLE. WE WILL TEST GAS FROM METER IN CELLAR UP TO THE 5TH FLOOR APT 5C. APPLIANCE ON METER: 5TH FLOOR STOVE APT 5C THERE WILL BE NO GAS PIPING IN ANY PUBLIC HALLWAYS.FIRESTOPS WILL NOT BE COMPROMISED.

0817/7GM

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 11/25/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.