



Buildings



LAA Permit Department of Buildings

Permit Number: 220505095-LAA

Issued: 08/03/2018
10:15 AM

Expires: 08/03/2019

Address: BRONX 920 AVENUE ST JOHN

Issued to: DAVID VINOGRADOV

Floors: CEL, BAS 001 thru 005

Business: ALIENT PLBG & HTG INC

Licensee No: P - 002113

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking

EWN16818_DUE TO LEAK & SHUTDOWN OF THE A,B AND J RISERS REPLACE APPROX 100' OF 2", 100' OF 1/4" 100' OF 1" GAS PIPE IN CELLAR FOR EXISTING STOVES IN (14) RESID, APTS-1AB, 2A-5A, 2B-5B, 2J-5J (FLS 1-5) & SUPERS APT IN BAS(SEE ATTACHED I-CARD). REPLACE APPROX 130' OF 3/4" GAS PIPE FROM THE CELLAR THRU THE 5TH FL & TO THE STOVES. REPLACE METER BARS FOR EXISTING METERS IN APTS. FIRESTOPS TO BE RESTORED. PIPE WILL BE THRU APTS & NOT IN HALLWAYS.

0731/8AP

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 10/27/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.