



Buildings



LAA Permit Department of Buildings

Permit Number: 240093741-LAA

Issued: 03/25/2015
11:09 AM

Expires: 03/25/2016

Address: BRONX 635 EAST 233 STREET

Issued to: GEORGE S BATEMAN

Business: GEORGE S BATEMAN PLBG&HTG

Floors: BAS

Licensee No: P - 001463

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Heat, Cooking, Water Heater

DUE TO GAS LEAK AND CON EDISON SHUT DOWN REPLACE APPROX 20' OF 2" GAS SERVICE PIPING IN THE BASEMENT FOR EXISTING HEAT & HOT WATER FILED UNDER #200394108 AND FOR EXISTING STOVES IN (9) RESIDENTIAL APTS (FLS BAS-3RD FLOOR). LEGAL BAS APT AS PER C OF O ON BIS. FIRESTOPS WILL BE NOT BE COMPROMISED. (1 METER FOR HEAT & HOT WATER, 1 METER FOR RESIDENTIAL COOKING)

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 11/30/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.