



Buildings

LAA Permit Department of Buildings

Permit Number: 240184171-LAA

Issued: 05/22/2017
1:36 PM

Expires: 05/22/2018

Address: BRONX 2567 DECATUR AVENUE

Issued to: MICHAEL J MARINO

Floors: BAS 001 thru 005

Business: ULTRA PLUMBING INC

Description of Work: Plumbing: GAS PLUMBING WORK

Licensee No: P - 001817

Gas Usage(s): Cooking

CON EDISON RED TAG #XL17005719. REMOVE APPROX 40' OF 2" GAS HEADER AND INSTALL NEW
LOCKWING GAS VALVE ON OLD 2" HEADER AND RUN APPROX 45' OF 3" GAS PIPE AND FITTINGS FOR
NEW 3" HEADER. REPLACE (22) METER BARS FOR EXISTING METERS &
& REPLACE APPROX 450' OF 3/4" GAS RISER PIPE FROM THE BASEMENT TO THE 5TH FLOOR FOR
EXISTING STOVES IN (22) RESIDENTIAL APTS-#BN & #BS IN BASEMENT, #1- 12, #12A, #14-#20 (FLS
1-5). SEE ATTACHED I-CARD. PIPE WILL BE THRU APTS & NOT IN HALLWAYS. FIRESTOPPS WILL BE
RESTORED. A0605/7AP A0629/7AL/JF

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.