




Buildings



LAA Permit Department of Buildings

Permit Number: 240224921-LAA

Issued: 06/07/2018
9:42 AM

Expires: 06/07/2019

Address: BRONX 2705 KINGSBRIDGE TERRACE

Issued to: RALPH NADILE

Floors: CEL,001

Business: HERTLER NADILE P & H, INC

Licensee No: P - 002127

Description of Work: *Plumbing: GAS PLUMBING WORK*

Gas Usage(s): Heat, Cooking, Water Heater

OIL TO GAS CONVERSION - WILL REMOVE EXISTING OIL BOILER AND INSTALL (1) BURNHAM GAS BL AND REGISTER/REPLACE (1) 50 GAL HWH VENTED THRU THE EXISTING CHIMNEY IN GOOD CONDITION. WE WILL INSTALL APPROX 25' OF 1-1/4" GAS PIPE. UPGRADE EXISTING METER BAR TO 1-1/4". APPLIANCES ON METER: BL, HWH & 1ST FL STOVE. THERE WILL BE NO GAS PIPING IN ANY PUBLIC HALLWAYS. FIRESTOPS WILL NOT BE COMPROMISED.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/26/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.