



Buildings



LAA Permit Department of Buildings

Permit Number: 301208226-LAA

Issued: 03/27/2001
8:51 AM

Expires: 03/27/2002

Address: BROOKLYN 4819 4 AVENUE

Issued to: CARLO POPOLANO

Floors: BAS

Business: AURORA MECHANICAL SVCS, IN

Licensee No: P - 001626

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Heat, Water Heater

CONNECT GAS FIRED BOILER, RUNNING 1 1/4" GAS LINE TO NEW METER. CHIMNEY LINED & IN GOOD CONDITION. REPLACES OIL, INSTALLING ONE 75 GAL WATER HEATER, A.O. SMITH PGXH, MEA#295-94-E, INPUT 75,000-BTU'S, ALT TO FOLLOW. BOILER EXACT BTU INPUT 546,000-BTU'S, OUTPUT 436,000-BTU'S.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 08/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.