




**Buildings**



# LAA Permit Department of Buildings

Permit Number: 301260230-LAA

Issued: 11/20/2001  
9:50 AM

Expires: 11/20/2002

Address: BROOKLYN 729 6 AVENUE

Issued to: MICHAEL A MANISCOLCO

Floors: CEL

Business: ALL ABOUT PLBG & HTG INC

Licensee No: P - 001679

Description of Work: *Plumbing: GAS EQUIPMENT/PIPING*

*Gas Usage(s): Heat, Water Heater*

*INSTALL GAS BOILER CONNECTED TO EXISTING CHIMNEY, INSTALL (2)A.O. SMITH PGXT50GAL H.W. HEATERS CONNECTED TO EXISTING. CHIMNEY INPUT 60,000-BTU'SEA., MEA#403-93-E. INSTALL APPROX. 50' OF 1 1/4" GAS PIPING, NEW METER BAR. REQUESTING ADDITIONAL METER FOR HEAT & HOT WATER ONLY.*

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

*This permit copy created on 05/13/2026 reflects the Commissioner(s) as of such date.*

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.