



Buildings



LAA Permit Department of Buildings

Permit Number: 301707534-LAA

Issued: 01/11/2005
9:51 AM

Expires: 01/11/2006

Address: BROOKLYN 7031 COLONIAL ROAD

Issued to: JACK BRONNER

Floors: BAS 001 thru 002

Business: H BRONNER & SON PLBG & HT

Licensee No: P - 001077

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Cooking, Water Heater

THERE WAS PREVIOUSLY NO GAS IN HOUSE OIL FOR COOKING AND HWH INSTALLING 75GALLON AO SMITH MODEL# PGC-75 MEA#387-04E 75,000 BTU'S AND TWO METER BARS RUNNING APPROX 30' OF 1 1/4" BLACK PIPE AND 50' OF 3/4" PIPE GAS TEST REQUIRED VENTING THROUGH EXISTING CHIMNEY COOKING STOVES FOR 1ST AND 2ND FL

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/24/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.