



Buildings



LAA Permit Department of Buildings

Permit Number: 301710021-LAA

Issued: 02/10/2005
6:10 PM

Expires: 02/10/2006

Address: BROOKLYN 325 68 STREET

Issued to: CARLO POPOLANO

Floors: BAS

Business: AURORA P & H CONT INC

Licensee No: P - 001626

Description of Work: *Plumbing: GAS EQUIPMENT/PIPING*

Gas Usage(s): Heat, Water Heater

CONNECTING A GAS FIRED PEERLESS BOILER, RUNNING ONE 1 1/4" GAS LINE TO THE NEWMETER. ALSO INSTALLING TWO 50 GALLON A.O.SMITH, MEA# 295-94-E, MODEL PCV-50HOT WATER HEATERS @ 40,000 INPUT EACH. THE CHIMNEY IS LINED AND IS IN GOOD CONDITION, VENTING UNITS TO THE EXISTING CHIMNEY TO THE ROOF. BOILER REPLACES OIL

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/23/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.