



Buildings



LAA Permit Department of Buildings

Permit Number: 301732070-LAA

Issued: 03/08/2006
3:48 PM

Expires: 03/08/2007

Address: BROOKLYN 744 NOSTRAND AVENUE

Issued to: GORDON O HENRY

Floors: BAS,001,002,003

Business: ACTIVE PLBG & HTG CORP

Licensee No: P - 001960

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Heat, Cooking, Water Heater

INSTALL APPROX 60FT OF 1/4" BLACK PIPE FOR INSTALLATION AND AO SMITH 75 GALLONHWH
MEA#387-04 INPUT 100,000 BTUS TO SUPPLY 2ND AND 3RD FLOOR APTS INSTALLAPPROX 150FT OF
3/4" BLACK PIPE FOR 2 AND 3 FLOOR COOKING HWH AND BOILER AREARE VENTED THRU EXISTING
CHIMNEY

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 02/22/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.