



Buildings



LAA Permit Department of Buildings

Permit Number: 310254480-LAA

Issued: 08/13/2008
9:59 AM

Expires: 08/13/2009

Address: BROOKLYN 235 ECKFORD STREET

Issued to: JAMES J PETROSINI

Floors: BAS

Business: KOMFORT P & H, INC

Licensee No: P - 001670

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Heat, Water Heater

REMOVE OLD GAS FIRED STEAM BOILER. INSTALL BURNHAM IN 12 STEAM BOILER MEA#154-93
385,000BTU'S INPUT & 317,620BTU'S OUTPUT. INSTALL (2) AO SMITH XCV 75 GAL.GAS FIRED HWH
MEA#180-77-E 75,000BTU'S. CHIMNEY LINED & IN GOOD CONDITION.CONNECT TO EXISTING GAS METER
& GAS LINE. (2008)

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/16/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.