



Buildings



LAA Permit Department of Buildings

Permit Number: **310421576-LAA**

Issued: **04/27/2011**
4:44 PM

Expires: **04/27/2012**

Address: **BROOKLYN 260 JEFFERSON STREET**

Issued to: **TIBOR GROSS**

Floors: **CEL**

Business: **SAFETY LICENSED PLBG LLC**

Licensee No: **P - 000213**

Description of Work: **Plumbing: GAS EQUIPMENT/PIPING**

Gas Usage(s): Heat, Water Heater

THIS LAA IS IN CONJUNCTION WITH LAA #310344589. OIL TO GAS CONVERSION. ALSO INSTALL AO SMITH PCG75 HWH, MEA#18078E 75 GAL, 75,000 BTU. RUNNING APPROX. 20' OF 1 1/2" GAS PIPE FROM NEW METER & METER BAR SET UP TO NEW EQUIPMENT. GAS FOR HEAT & HOT WATER ONLY. VENT THRU EXISTING CHIMNEY. GAS TEST REQUIRED.

Emergency Telephone Day or Night: **311**

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 11/24/2025 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.