



Buildings



LAA Permit Department of Buildings

Permit Number: 320597957-LAA

Issued: 09/25/2018
8:01 AM

Expires: 09/25/2019

Address: BROOKLYN 1305 EAST 18 STREET

Issued to: CHRISTOPHER BELLO

Floors: CEL 001 thru 006

Business: C.R.C. PLBG. & HTG. CORP

Licensee No: P - 001861

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking

EWN17139. DUE TO LEAK & GAS SHUTDOWN TEST EXISTING GAS LINE FOR COOKING ONLY IN APT#6D ON THE 6FL. REPLACE APPROX 60'X3/4" GAS PIPE IN CEL & REPLACE APPROX 4'X3/4" GAS PIPE FROM CEL TO 1FL & CONNECT BACK TO EXT'G RISER. REPLACE GAS VALVE & FLEX BEHIND EXT'G STOVE IN THE APT.(MTR IS EXT'G). FIRESTOPS TO BE RESTORED. THERE WILL BE NO PIPE IN HALLWAYS.

0919/8AM

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 02/22/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.