



Buildings

LAA Permit Department of Buildings

Permit Number: 320630885-LAA

Issued: 09/21/2012
4:22 PM

Expires: 09/21/2013

Address: BROOKLYN 78 INDIA STREET

Issued to: CARLO POPOLANO

Floors: CEL

Business: AURORA P & H CONT INC

Description of Work: *Plumbing: OIL TO GAS CONVERSION*

Licensee No: P - 001626

Gas Usage(s): Heat, Water Heater

CONNECTING ONE GAS FIRED BOILER, RUNNING ONE 1 1/4" GAS LINE TO NEW METER (APP ROXIMATELY 25 FEET) CHIMNEY LINED AND IN GOOD CONDITION, VENTING UNIT TO EXIST ING CHIMNEY TO ROOF. INSTALLING ONE WATER HEATER, WATER HEATER REPLACES COIL F ROM OLD BOILER. JOB REPLACES OIL. BOILER MAKE AND MODEL#, BURNHAM, IN-7 BTU IN PUT 210,000 OUTPUT 173,000 MEA# 154-93-E. QUANTITY (1) WATER HEATER MAKE AND MODEL# AO SMITH, PGC-75, INPUT 75,000, OUTPUT 62,000 MEA# 387-04-E QUANTITY (1). 0816CP 0905CP

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 02/12/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.